



UV-C LED Water Sterilization System



2025 AQUATECH AMSTERDAM – INNOVATION AWARD NOMINEE



Effective UV LED solutions for water purification



CONTENTS

UV-C LED Water Sterilization System ... 02-04

Operating Principle ... 02

Silica Optical Lens & Related Description ... 02

TW / USA Patents of Invention ... 03

Test Reports ... 03

Eco-friendly Design ... 04

Water-Cooling Design ... 04

Optical Technology ... 04



Application Scenarios & Model Selection ... 05

Industry Case Studies ... 06

Case Studies ... 07-23

Chiayi - Famous Beverage Shop ... 07

Sanzhi – Tapioca Pearl Factory ... 07

Zhunan - Renowned Italian Restaurant ... 08

Famous Conveyor Belt Sushi Restaurant ... 08

Fresh Seafood Market ... 09

Yilan – Sanxing Green Onion Hydroponic Farm ... 10

Bacteriostatic Effect Verification ... 11

Taoyuan - Landscape Pond ... 12

Longtan - Landscape Pond & Factory Fish Pond ... 13

Kaohsiung - Korean International School ... 14

Tongxiao Taisalt - Yanzong Landscape Pond ... 15-16

SPA Swimming Pool & Taitung Zhiben Villa ... 17-18

Yilan - Kelin Fish Farm (Sturgeon Aquaculture) ... 19

Jeju Island - Flatfish Aquaculture ... 20

Hualien - Farglory Ocean Park ... 21-22

Far Eastern Memorial Hospital ... 23



Application ... 24

NOVATICS WS Series ... 25-26

Consumable Parts UVC LED Optical Module ... 25

System Features & Product Series ... 26

NOVATICS Team ... 27

About Us ... 28



UV-C LED Water Sterilization System



Operating Principle

01 Contaminated water enters

UVC-LED light
sterilization destroy

Purified and safe water is discharged



Silica Optical Lens & Related Description





Water Proof Module


Water Cooling System



Patented Optical Design Food Grade SUS 316



TW / USA Patents of Invention











Tested by authoritative laboratories SGS and SUPER LAB, the system demonstrates excellent sterilization performance under various flow rates, truly achieving "residue-free, instant sterilization" to ensure the safety of every drop of water.

Test Reports











	Image	Model	Flow Rate	E. coli	Staphylococcus aureus	Pseudomonas aeruginosa
	A LOND	WS G4	15 LPM	99.9%	99.9%	99.9%
4		WS T5	75 LPM	99.9%	99.9%	99.9%







Staphylococcus aureus



Pseudomonas aeruginosa



Eco-Friendly Design

The NOVATICS UV-C LED Water Sterilization System features low energy consumption and instant activation.

environmental standards, and ensures safe, sustainable operation.

Compared with mercury UV lamps, it effectively reduces carbon emissions. Our mercury-free design prevents contamination, complies with global

lmage	Power Consumption	Size	Lifetime	Toxic Material	Recycling Cost
NOVATICS WS CORE	4		⊗ ⊗	MERCURY FREE	③
Mercury UV Lamp	444		\odot	Hg	⑤ ⑤



Water Cooling Design

Our UV-C LED system enhances sterilization efficiency and reduces heat generation through advanced optical design. It adopts an internal water-cooling circulation for high-efficiency heat dissipation, without the need for fans or complex structures. This design stabilizes LED operating temperature, making it ideal for outdoor or high-temperature environments.

It effectively minimizes light decay and energy loss, extends lifespan, and maintains consistent sterilization performance.




Water-Cooled LED Module

Designed for High-Flow Water Purification

Optical Technology

Through our patented optical design, we effectively amplify the actual irradiation efficiency of UV-C LEDs, precisely directing limited UV-C light to the target area. Compared with conventional UV-C LED systems, our solution offers higher sterilization performance, lower thermal loss, and a more compactstructure — making it ideal for space-limited environments or applications requiring long-term stable operation.











Model Reference Guide



03 | 04



02 | 03 | 05 | 06



01 | 03 | 04 | 05 | 06



02



A Single Glass of Water — A Brand Customers Can Trust

In beverage shops, ice makers can easily breed bacteria and algae due to poor water quality or aging pipelines, affecting ice hygiene.

In the food service industry, contaminated pipes and water sources may also compromise the safety of drinking water. If left uncontrolled, such issues can raise consumer concerns about the safety of beverages and food.





One Solution for All Water Problems







Energy Saving



Compact & Easy to Install



Effective Sterilization



ESG Friendly






Our UV-C LED water sterilization system provides residue-free, high-efficiency disinfection to ensure pure and safe water quality, helping improve beverage quality and build consumer trust.

Case Study: Renowned Beverage Chain — Chiayi



Case Study: Tapioca Pearl Factory — Sanjhih





Eliminate Circulating Water Bacteria — Enhance Brand Image

Our water sterilization system effectively eliminates harmful bacteria and pathogens from aging pipelines, ensuring safe water for restaurants.

It provides hygiene protection for customers and enhances the brand image of dining establishments.

Renowned Italian Restaurant in Zhunan



Famous Conveyor Belt Sushi Restaurant — Raw Fish Processing Water Sterilization






Pure Water — Keep Seafood Fresh

Water quality determines seafood freshness and customer trust.

UV-C LED technology requires no chemicals and effectively removes most microorganisms, improving aquatic survival rates, stabilizing water quality, and reducing chemical usage.







On-site Water Sampling Comparison — One Week

After one week of use, the water clarity improved significantly.






Case Study: Yilan Sanxing Green Onion Farm

Less Pollution, Higher Yield Stable Water Quality · Bacteria Control · Reduced Chemical Use

Clean water quality is the key to a successful hydroponic farm.

UV-C LED effectively suppresses bacterial contamination, maintains stable water conditions, and promotes healthier crops with more consistent yields.









Sterilization Effect Verification

Our UV-C LED water sterilization system effectively removes bacteria, viruses, and algae, keeping the water clear and odor-free while reducing disease risk.

Compared with traditional UV lamps, it is more energy-efficient, durable, mercury-free, and eco-friendly.

Suitable for both freshwater and marine aquariums, it can be integrated with filtration systems to maintain safe, low-maintenance water quality.



















Reduce Chemicals

Save Energy


Longer Lifespan

Easy Installation

High Efficiency

Ecofriendly

Algae Removal ·
Sterilization ·
Residue-Free



Brand Comparison

lmage	Efficiency	Size	Lifespan	Toxic Materials	Sterilization Performance
NOVATICS WS CORE	4		$\odot \odot$	MERCURY FREE	High
Mercury UV Lamp	444		(S)	∰ Hg	Low



Case Study: Taoyuan Landscape Pond

Algae Removal and Water Purification

Effective Algae Control in 3 Days



Before Treatment



Algae and bacteria growth cause turbid water and unpleasant odor.

24 hours



Algae began to decrease, water quality gradually improved.

48 hours



Water became noticeab clearer, with increased transparency.

72 hours



The bottom became visible, and most green algae disappeared.

96 hours



Water remained clear and stable, maintaining a healthy environment















Case Study: Longtan Landscape Pond / Factory Fish Pond

From murky green to crystal clear in an instant

The cause of green algae and murky water is the rapid growth of algae fueled by nutrients such as fish feed, waste, and fertilizers, combined with sunlight exposure.

Adding plecos (algae-eating fish) to the pond can naturally create a self-purifying ecosystem, helping control algae and maintain clear water. If needed, we can provide complete solutions and professional training to help you build a healthy and stable aquatic environment.

3m³ Water Volume

Before



After (3 Days)





1 Month

The water is clear, though some green algae remain at the bottom.



2 Month

Most green algae have disappeared, and the water is clearer.



3 Month

The water is now completely transparent and crystal clear.



Case Study: Kaohsiung Korean School

Green Water Saver — Guardian of Water Quality







Before Use

A large amount of algae grew in the water, causing a foul odor and leading to the death of aquatic organisms.



Day 2

The algae population decreased significantly, the water gradually became clearer, and the pond condition steadily improved.



Day 3

The water became completely clear, aquatic life returned to normal, and the algae were effectively controlled.





Case Study: Tongxiao Taiwan Salt – Yanzong Landscape Pond

Rapid Purification —
Creating a Pure Water Environment

Processed with Two Sets of T5 Units

> 40m³ Water Volume

Before



Water Condition

Turbid Water, Foul Odor in the Pond

1. Water appeared dark and dull.

2. Fish were sluggish and inactive.

 ${\it 3.\,No\,improvement\,despite\,monthly\,chemical\,treatment.}$



After (2 Month)



Water Condition

Water Condition Clear Water, Lively Fish

1. Water became transparent and the bottom visible.

Fish activity increased significantly.

3. No chemical treatment needed; water remained clean and clear.





The pond had poor visibility, with a large amount of protein foam and oil film on the surface and thick, sticky water.

The fish's body colors were unclear, as if they were covered by an oily film.











Protein foam was greatly reduced, the surface oil film visibly improved, and water clarity increased significantly.









After two months of use, the water became clear, and the colors of turtles, koi, and tilapia appeared more vivid. The sticky texture of the water completely disappeared.









At the Taiwan Salt Tongxiao Tourism Park Yanzong Scenic Pond, after 3.5 months of UV-C LED system operation, the water quality showed excellent improvement.









Safer with Less Chlorine

Case Study: SPA Swimming Pool

On-Site Survey & Preparation

We first send staff to inspect the pool room, confirming the water flow, power, and equipment layout, then prepare the necessary materials for installation.

Professional On-Site Installation

Certified technicians install the UVC equipment on-site and integrate it with the existing system.

System Testing and Adjustment


After installation, water flow and equipment operation are tested and fine-tuned to ensure system stability and optimal sterilization performance.








Case Study: Taitung Chiben Villa













Can reduce chlorine usage in swimming pools by up to 90%.



Sterilization Effect Verification

Before installation, we collect water samples from the swimming pool as the initial baseline.

After installation, samples are collected periodically to monitor bacterial changes,

confirming the actual sterilization performance of the UVC system.

This comparison process ensures effective sterilization and gives users greater confidence in water safety.

Without chlorine, UV off (static for 12 hours)



UV circulation only (24 hours)



UV circulation + 0.5 PPM chlorine



Standard chlorine usage (1.5 PPM)



3x10^6 CFU/mL

146 CFU/mL

1CFU/mL

2 CFU/mL

Taipei City Public Pool Standard: Bacterial count must not exceed 500 CFU/mL.





Case Study: Yilan — Kelin Aquaculture (Sturgen Fish Farm)







Quality

Algae Control

Reduced Chemical Use

Sturgeon require high water quality, as pathogens, algae, and harmful microorganisms can affect their health.

Our UV-C LED system provides effective sterilization, ensuring clean water, reducing disease risk, and improving survival rates.











NOVATICS WS T5 — Hatching Rate Increased by 3 Times

Model: 4WS T5

Flow Rate: 3.5 m³/hr



Year	Condition	Egg Count	Hatch Count	Hatch Rate	Illustration
2022	NO UV TREATMENT	10,000 (rough)	353	3.5%	1
2023	NOVATICS WS TEST	10,000 (rough)	1,178	11.8%	n n n



Case Study: Jeju Island — Flounder Fish Farm







Stable Water Quality


Algae Control



Reduced Chemical Use



Increased Fish Survival Rate



By using our UVC optical water sterilization system, the growth of bacteria and algae in fish ponds can be effectively reduced, minimizing the use of chemicals and promoting fish health.

The system significantly decreases bacterial counts in the water, enhancing water quality stability and fish survival rates, while ensuring food safety.



Verification Test of General Bacteria and Vibrio Counts in Seawater - 2025/07/10 Second Experiment (Taiyo Aquaculture)

		BHI agar	TCBS agar	
No UV Setting		Countless	2.78 x 102 CFU/ml	
1 UV Setting		3.48 x 103 CFU/ml	2.2 x 10 CFU/ml	
2 UV Setting		8.6 x 10 CFU/ml	1 x 10 CFU/ml	



Case Study: Hualien Farglory Ocean Park

Aquatic Specialist – Pure Water Protects Marine Life Every Day















Stable Water Quality

Algae Inhibition

Reduced Chemical Us

High Energy Efficiency

Long Lifespan

g Compact and pan Easy Installation

ESG Friendly









Aquarium Zone Life Support System



Traditional UV Lamp Set — 160W





LED UV Lamp Set — 54W

Veterinary Test Result Summary and Comparison

lmage	Efficiency	Size	Lifespan	Toxic Materials	Sterilization Performance
NOVATICS WS CORE	54W	60 cm	1 year	MERCURY	Over 1× higher (p < 0.05)
Mercury UV Lamp	160W	120 cm	3-4 months	Hg	Low



Case Study: Far Eastern Memorial Hospital – Medical Wastewater Sterilization



Compliant with ESG Regulations



Reduces UV Disinfection System
Power Consumption by 60%



Joint Testing by National Taiwan University Environmental Engineering & Far Eastern Memorial Hospital









Applications



Food & **Beverage**

1. Ice-making equipment 2. Beverage dispensers 3.Coffee chains

4. Restaurants and food courts



Food **Processing**

1. Beverage factories 2. Central kitchens

3. Baking workshops 4. Fish processing

plants



Hotels & Swimming Pools

1. Luxury hotels

2. Swimming resorts

3. Water parks

4. Fitness centers



Landscape & **Aquaculture Pools**

1. Interior design

2. Landscape

engineering

3. Aquaculture systems

4. Engineering

consultants



Medical & **Healthcare**

1. Maternity centers

2. Infant swimming

poolsengineering

3. Long-term care

facilities

4. Dental clinics

Comprehensive water quality solutions for dining, food processing, swimming pools, and healthcare—ensuring every drop of water is clean and safe.



NOVATICS WS Series

Modular Design – Easy to Apply and Promote



Consuming Parts
UVC LED Optical Module Consumables



WS G-Series

WS T-Series

Commercial Use Industrial Use WS G4 WS T5 WS G8 WS T30





NOVATICS WS Series

UV-C LED Optical Water Sterilization System Features



High-Efficiency Solution



Easy Maintenance & Instant Use



High Energy Efficiency



Sustainable Purification



Optical System Design



Instant Activation



Eco-Friendly & Energy-Saving



Mercury-Free (No Mercury Used)












	WS G2	WS G4	WS G8	WS T5	WS T30					
Max Flow	7.5 LPM / 0.5 CMH	15 LPM / 1 CMH	30 LPM / 2 CMH	75 LPM / 5 CMH	450 LPM / 30 CMH					
LED Wavelength		275 nm								
LED Lifespan		10,000 hrs								
Inlet Diameter	1/2 in male	1/2 in male	3/4 in male	1.5 in flange	3 in flange					
Input Voltage	100-240V AC	100-240V AC	100-240V AC	100-240V AC	100-240V AC					
LED Power	6W	12W	24W	50 W	360 W					
System Weight	1.2 kg	1.5 kg	3 kg	12 kg	75 kg					
System Length	35 cm	35 cm	35 cm	60 cm	75 cm					
Temp Range	5 – 45 °C									
Max Pressure 50 psi				100	psi					




NOVATICS Team Services

- Optical Design
- Fluid Dynamics Analysis
- Module Design

- Optical Manufacturing
- Mechatronic Integration Design
- System Integration


















About Us



NOVATICS WS Module adopts an innovative UV-C LED system combined with a patented quartz optical design, effectively enhancing water purification efficiency while maintaining energy-saving performance.

The treated water retains its original taste, produces no ozone or heat, and ensures purity and safety.

The mercury-free structure minimizes environmental impact at the end of its lifecycle.

With a 99.9% sterilization rate, the system provides water safe for direct consumption and complies with multiple international drinking water standards.

The modular design of NOVATICS WS allows flexible expansion according to flow requirements, making it suitable for a wide range of environments and industries, including: households, commercial spaces, medical facilities, laboratories, food processing, swimming pools, aquaculture, aquariums, and wastewater treatment applications.



Eco-friendly Sustainable Energy-saving
High-efficiency Easy Maintenance
Mercury-free Pure Water



CRISTAL MATERIALS CORPORATION

TEL +886-2-2657-6200

FAX +886-2-2657-9109

EMAIL info@cristalmat.com

WEB NOVATICS-uv.com

Add: 3F-No.53, Lane 258, Ruiguang Road, Neihu Dist., Taipei City, Taiwan, 11491



Contact Us